



## Integrating Renewable Energy Systems into Building Design and Construction: Insights from Lucknow Construction Projects

Mohd Asim<sup>1</sup>, Durgesh Yadav<sup>2</sup>, Nidhi Srivastava<sup>3</sup>

<sup>1</sup>Assistant Professor, Integral University, Lucknow, Uttar Pradesh, India

<sup>2</sup>Research Scholar, Integral University, Lucknow, Uttar Pradesh, India

<sup>3</sup>Assistant Professor, Lucknow University, Lucknow, Uttar Pradesh, India

### Abstract

The increasing pace of urbanization, coupled with growing environmental concerns, necessitates the adoption of sustainable energy practices in the building and construction sector. Integrating Renewable Energy Systems (RES) into the design and construction phases of buildings has emerged as a crucial strategy to mitigate greenhouse gas emissions, reduce energy dependency on non-renewable sources and achieve long-term operational cost savings (IEA, 2022). This paper explores the integration of RES technologies in the context of urban construction in Lucknow, India—a Tier-2 city witnessing significant infrastructure growth under initiatives such as the Smart City Mission (MoHUA, 2021). By examining specific projects and analyzing their energy frameworks, the study provides a comprehensive understanding of the role and impact of RES in contemporary urban architecture.

**Keywords:** Urban construction, sustainable energy, renewable energy and construction.

### 1. Introduction

Renewable energy systems in buildings primarily encompass technologies such as solar photovoltaic (PV) panels, solar thermal systems, wind energy turbines, geothermal heating and cooling and hybrid systems

(MNRE, 2023). These technologies, when integrated thoughtfully within the architectural and structural framework, offer substantial energy savings while enhancing the overall sustainability quotient of the built environment. In India, several regulatory instruments such as the Energy Conservation Building Code (ECBC), the National Solar Mission and the guidelines issued by the Ministry of New and Renewable Energy (MNRE, 2023) encourage the use of RES in buildings. However, their practical implementation varies across regions depending on climatic, economic and policy factors. Medium-sized cities like Lucknow often remain underrepresented in national-level studies, despite being important growth hubs with the potential for scalable green innovations.

### 2. Literature Review

Renewable energy systems in buildings primarily encompass technologies such as solar photovoltaic (PV) panels, solar thermal systems, wind energy turbines, geothermal heating and cooling and hybrid systems (MNRE, 2023). These technologies, when integrated thoughtfully within the architectural and structural framework, offer substantial energy savings while enhancing the overall sustainability quotient of the built environment. The integration of renewable energy systems (RES) into building design has become increasingly vital as the construction industry seeks to meet global sustainability targets and reduce dependency on fossil fuels. Over the past two decades, numerous studies have explored the technical, economic, environmental and social implications of incorporating RES in buildings, especially in urban settings.

### 2.1 Global Perspectives on Renewable Integration

The building sector is responsible for 28% of all energy-related CO<sub>2</sub> emissions and around 30% of global final energy consumption, according to the International Energy

Agency (IEA, 2022). Global policy frameworks like the Paris Agreement and the Sustainable Development Goals (SDGs) of the UN have responded to these numbers by stressing the necessity of implementing renewable energy in building practices. According to Chwieduk (2003)<sup>[3]</sup> and Zhao *et al.* (2011)<sup>[14]</sup>, buildings should be able to produce clean energy using technologies like integrated wind turbines, solar thermal systems and photovoltaic (PV) panels in addition to being energy-efficient.

## 2.2. Designing with Renewable Energy Technologies

Solar PV systems, which directly convert solar radiation into energy and solar thermal systems, which provide hot water and space heating, are only two examples of the many technologies that have been effectively used in buildings (Kalogirou, 2004)<sup>[6]</sup>. Although they are more prevalent in open rural settings, wind turbines have been modified for rooftop use in cities to support hybrid energy systems (Bahaj *et al.*, 2007)<sup>[12]</sup>. Additionally, in colder climates, geothermal heat pumps and biomass-based heating systems are becoming more popular (Lund, Freeston, & Boyd, 2011). Due to their dual roles as energy generators and building envelope materials, Building-Integrated Photovoltaics (BIPV) have attracted interest (Peng, Lu, & Yang, 2013)<sup>[10]</sup>. To guarantee effectiveness and financial feasibility, the integration of these technologies necessitates meticulous architectural planning and energy simulations.

## 2.3. Frameworks for Regulation and Policy

Green building methods are encouraged by national regulatory frameworks like the Leadership in Energy and Environmental Design (LEED) accreditation in the US and the Energy Conservation Building Code (ECBC) in India. The Ministry of New and Renewable Energy (MNRE, 2023) in India has also started building-integrated system subsidies and rooftop solar schemes. Sharma *et al.* (2018)<sup>[12]</sup> contend, however, that local enforcement and compliance are still lacking in spite of these laws, especially in Tier-2 and Tier-3 cities.

## 2.4. Return on Investment and Economic Viability

RES adoption has generally been hampered by the high upfront costs associated with installation. However, research by IRENA (2021) and IEA (2022) indicates that the cost-benefit ratio has improved dramatically due to advantageous financing models and falling costs for solar PV modules. According to reports, rooftop PV in residential buildings in India can pay for itself in five to seven years, depending on the size of the system and the electricity rates (TERI, 2020). Additionally, by returning excess energy to the grid, net metering regulations have facilitated building owners' ability to recoup their investments.

## 3. Methodology

The present study adopts a mixed-method approach comprising on-site project evaluations, stakeholder interviews and energy modeling analyses using tools like RETScreen and HOMER (Natural Resources Canada, 2021). Five major construction projects in Lucknow were selected for this research based on their scale, typology and

integration of renewable systems. These include the Gomti Nagar Extension smart housing initiative, the Medanta Super-specialty Hospital campus, the Lulu Mall commercial complex and residential developments in Sushant Golf City. Each project was assessed for its renewable energy components, performance metrics, design strategies and alignment with sustainability goals.

## 4. Case Studies from Lucknow

The present study adopts a mixed-method approach comprising on-site project evaluations, stakeholder interviews and energy modeling analyses using tools like RETScreen and HOMER. Five major construction projects in Lucknow were selected for this research based on their scale, typology and integration of renewable systems. These include the Gomti Nagar Extension smart housing initiative, the Medanta Super-specialty Hospital campus, the Lulu Mall commercial complex and residential developments in Sushant Golf City. Each project was assessed for its renewable energy components, performance metrics, design strategies and alignment with sustainability goals. For instance, the Gomti Nagar Extension project incorporates solar rooftop panels and passive design features, leading to energy savings of approximately 30% over conventional designs. Similarly, the Medanta Hospital uses a combination of solar thermal systems for hot water supply and solar PV for partial power needs, resulting in reduced grid dependency and operational costs.

The Lulu Mall complex showcases a novel application of solar carports in its parking area, complemented by a centralized Building Management System (BMS) that optimizes energy consumption across HVAC, lighting and escalator systems. In the residential sector, Sushant Golf City presents an example of net-zero energy housing, with prototype villas using hybrid solar-wind systems, energy-efficient AAC blocks and double-glazed fenestration to minimize energy loads. These projects reflect an encouraging trend towards environmentally conscious construction, although several barriers persist. Key challenges identified include high capital costs, limited technical expertise, delayed regulatory approvals and lack of standardized performance benchmarks. Nonetheless, the return on investment (ROI) for most systems was found to be within 4 to 7 years, which is attractive given the lifespan of typical buildings.

From a policy and governance perspective, the study highlights the need for stricter enforcement of ECBC norms, especially in municipal and institutional projects. Additionally, there is a pressing requirement to develop skilled human resources in the domain of RES design, installation and maintenance. Financial mechanisms such as subsidies, soft loans and tax incentives can significantly accelerate residential adoption of renewable systems. Stakeholder feedback from architects, engineers and developers in Lucknow indicates a growing awareness of the long-term benefits of RES, though financial constraints remain a key deterrent in the private housing segment.

The Gomti Nagar Extension project incorporates solar rooftop panels and passive design features, leading to

energy savings of approximately 30% over conventional designs. Similarly, the Medanta Hospital uses a combination of solar thermal systems for hot water supply

and solar PV for partial power needs, resulting in reduced grid dependency and operational costs.

**Table 1:** Summary of RES Integration in Selected Lucknow Projects

Project Name	Type of Building	Res Technology Used	Key Benefits	Estimated Energy Savings (%)
Gomti Nagar Extension	Residential	Solar PV, Passive Design	Reduced grid reliance, thermal comfort	30%
Medanta Hospital	Institutional	Solar Thermal, Solar PV	Hot water and power supply	35%
Lulu Mall Complex	Commercial	Solar Carport, BMS	Peak load reduction, energy optimization	25%
Sushant Golf City Villas	Residential	Hybrid Solar-Wind	Net-zero energy, high insulation	40%

## 5. Results and Discussion

From a policy and governance perspective, the study highlights the need for stricter enforcement of ECBC norms, especially in municipal and institutional projects. Additionally, there is a pressing requirement to develop skilled human resources in the domain of RES design, installation and maintenance (TERI, 2021). Financial

mechanisms such as subsidies, soft loans and tax incentives can significantly accelerate residential adoption of renewable systems (IREDA, 2023). Stakeholder feedback from architects, engineers and developers in Lucknow indicates a growing awareness of the long-term benefits of RES, though financial constraints remain a key deterrent in the private housing segment.

**Table 2:** Cost-Benefit Analysis of RES Systems

RES Technology	Initial Cost (INR/sq.m)	Payback Period (Years)	Lifetime Savings (20 years, INR)	Maintenance Requirement
Solar PV	2,500 – 3,000	5 – 6	1,20,000 – 1,50,000	Low
Solar Thermal	1,800 – 2,200	3 – 5	80,000 – 1,00,000	Low
Wind Turbines	4,000 – 5,000	7 – 9	1,50,000 – 2,00,000	Medium
Hybrid Systems	5,500 – 6,500	6 – 8	2,00,000 – 2,50,000	Medium

## 6. Policy Implications and Recommendations

Further research should focus on developing region-specific RES integration models and expanding the scope of green construction through public-private partnerships and academic-industry collaborations.

## 7. Conclusion

In conclusion, integrating renewable energy systems in urban building projects presents a viable pathway to achieving energy efficiency and environmental sustainability. The case of Lucknow demonstrates that with appropriate policy support, technical know-how and stakeholder collaboration, mid-sized cities can lead India's transition to a greener built environment.

## 8. References

- Attia S, Beltrán L, De Herde A, Hensen JL. Architectural design decisions in nearly zero-energy buildings (NZEBs): An analysis of architecture competitions. *Energy and Buildings*, 2012;49:101-110.
- Bahaj AS, Myers L, James PA. Urban energy generation: Influence of micro-wind turbine output on building integration. *Renewable Energy*. 2007;32(10):1635–1653.
- Chwieduk DA. Towards sustainable-energy buildings.” *Applied Energy*. 2003;76(1-3):211-217.
- IEA. Global Status Report for Buildings and Construction. International Energy Agency, 2022.
- IRENA. Renewable Power Generation Costs in 2020. International Renewable Energy Agency, 2021.
- Kalogirou SA. Solar thermal collectors and applications. *Progress in Energy and Combustion Science*. 2004;30(3):231-295.
- Lund JW, Freeston DH, Boyd TL. Direct utilization of geothermal energy 2010 worldwide review. *Geothermics*, 2011;40(3):159-180.
- Ministry of New and Renewable Energy (MNRE). Rooftop Solar Scheme Guidelines, 2023.
- MoEFCC. Indira Paryavaran Bhawan: India's First Net Zero Energy Building. Ministry of Environment, Forest and Climate Change, 2014.
- Peng J, Lu L, Yang H. Review on life cycle assessment of energy payback and greenhouse gas emission of solar photovoltaic systems. *Renewable and Sustainable Energy Reviews*, 2013;19:255-274.
- Ramesh T, Prakash R, Shukla KK. Life cycle energy analysis of buildings: An overview. *Energy and Buildings*, 2010;42(10):1592-1600.
- Sharma R, Deshmukh A, Kothari DP. Renewable energy and buildings: A review on building integrated photovoltaic (BIPV). *Renewable and Sustainable Energy Reviews*. 2018;82:1543-1551.
- TERI. Financing rooftop solar in India: A review of current practices, 2020.
- Zhao X, Johnston D, Bagdanavicius A. Using renewable energy in buildings: An analysis of technologies, applications and future trends. *Renewable and Sustainable Energy Reviews*, 2011;15(1):169-179.
- Zhou X, Yang H, Fang Z. Performance of a hybrid solar building: A case study in Shanghai. *Energy and Buildings*. 2015;86:330-337.